



# Western Graphix Western ID

23635 MADISON STREET, TORRANCE, CA 90505

**DIVISIONS OF  
Camlox Industries**

**(310) 530-6344**

**(800) 334-1884**

**Fax (310) 373-3673**

**[www.Camlox.com](http://www.Camlox.com)**

April 10, 2024

## SCHOOL LAMINATOR PRICE QUOTE

### 1 D & K Laminex MiniKote 27" Digital Laminator

Comes equipped with Digital speed and temperature adjustment controls and Reverse  
It also has a lock switch so that no one can use it if it is locked up (holidays, weekends, etc.)


Uses 25" or 27" wide Laminating Film

Price includes Delivery and On-Site Set-up and Training.

Cost: \$1995.00 plus \$164.59 tax

Total = \$2,159.59

The Two-Sided Minikote Laminator is easy to operate, contemporary in design and is perfect for classroom and office environments. When your professional requirements demand a dependable, simple to operate laminator, the Two-Sided Minikote will meet your needs. Easily protect and preserve all your educational and professional documents including charts, posters, maps, newspaper clippings, teaching aids, children's drawings and more.




Safety Shield



Key Switch Prevents Unauthorized Users



Touch Pad Controls



Tension Control

- User preset saves speed and temperature settings defined by the user.
- Factory presets set a speed & temperature that is optimal for both 1.5 mil homopolymer and copolymer films.
- Usage counter with reset easily tracks laminating film usage.
- Convenient hand held slitler with storage on machine.
- Adjustable feed guide assures exact lamination.
- 1" mandrels standard (2 15/16" kit optional).
- Safety shield for protection from heat shoes.
- Key switch prevents unauthorized use of laminator.
- Stop/Reverse button to reverse machine.
- Digital display with temperature, speed and usage counter readout.
- Temperature controls increase and decrease the temperature in one degree increments.
- Accepts standard homopolymer and copolymer films in 1.5 and 3 mil.
- UL listed.

## Technical Specifications

Working Width:	27"
Laminator Width:	34"
Height:	15"
Depth(with feed tray):	20"
Net Weight:	66 lbs.
Shipping Weight:	73 lbs.
Speed:	0 -9.5 fpm
Electrical Requirements:	120V AC 60Hz 1400w
Standard Core:	1"
Film Accommodation:	1.5 Mil & 3 Mil (Max supply roll 1000' @ 1.5 Mil)

## Available Options

Foot Switch  
Slitter Kit

## Applications

- |                                       |                 |                      |
|---------------------------------------|-----------------|----------------------|
| >> Rules, Regulations & Procedures    | >> Blueprints   | >> Corporate Records |
| >> Attendance, Payroll, Records, Etc. | >> Labels       | >> Photographs       |
| >> Licenses & Certificates            | >> Awards       | >> Flash Cards       |
| >> Schedules & Charts                 | >> Diplomas     | >> X-rays            |
| >> Magazines/ Newspaper Articles      | >> Place mats   | >> Manuals           |
| >> Legal Documents                    | >> Book Jackets | >> Library Cards     |
| >> Student/Employee Lists             | >> Reports      | >> Transparencies    |
| >> Display Signs                      | >> Contracts    | ... and much more!   |